Villeroy & Boch
1748

Express
PRICELIST 2021

Sanitaryware · Bathroom Furniture · Wellness

Villeroy & Boch
1748

4 GOOD REASONS FOR CHOOSING EXPRESS

Brand

Stylish design has always been a stamp of authenticity of Villeroy & Boch. With a keen sense of trends, we create distinctive bathrooms that make life more beautiful and comfortable. You can experience the result of our research and development every day anew: with great attention to detail, our innovative products and solutions make every minute in the bathroom a pure pleasure.
With precise craftsmanship, state-of-the-art technology and strict quality standards, we create products that will last for many years like the first day of purchase.
The name Villeroy & Boch guarantees the highest quality and reliability.

Complete collections

The bath and wellness products from Villeroy & Boch transform a functional place into an individual wellness area. With Villeroy & Boch, complete bathrooms can be realized from a single source. Express is the name of the high-quality complete bathroom collection by Villeroy & Boch, which offers everything you need for a stylish, functional and comfortable bathroom design: ceramic washbasins, WC and shower toilet, bathroom furniture, illuminated mirrors and mirror cabinets as well as shower trays and bathtubs. With various combination possibilities and installation variants, Express showcases the diversity of the geometric design and creates a timelessly modern ambience in the bathroom.

Current colours

Both the elegant, wall mounted cabinets in addition to the high and side cabinets are available in the six current colours: Crystal Grey, Crystal Black, Crystal White, Elm Impresso, Arizona Oak, Nordic Oak, Oak Kansas, Stone Oak, Glossy White, Soft Grey and Glossy Grey.

The Villeroy & Boch App

The smart tool for planning and consultation.

Now you have the full information on Villeroy & Boch bathrooms at your fingertips. A glance at your smartphone, tablet or PC is all it takes to find current dimensions and prices while you're out and about or to configure model variants and check availability while advising customers.

For smartphone, tablet and PC. Find out more: pro.villeroy-boch.com/villeroybochapp

Our Hygiene Champion

DirectFlush

A perfect design for the highest degree of cleanliness

Thanks to the innovative rimless design, DirectFlush WCs can be cleaned quickly and thoroughly – for quintessential hygiene. It can be hard to clean under the rim of a standard toilet as the toilet brush and cleaning agent do not reach everywhere.

Hygiene
- Easy care and immaculate cleaning thanks to the rimless design
- The total interior of the bowl is completely flushed
- Precise, splash-free flow of water in the toilet right up to the level directly below the rim

Efficiency
- Ideal water flow for maximum flushing effect
- Water-saving, with a flushing volume of only 3 or 4.5 litres

The Champions of Hygiene

The new generation of rimless WCs offers particularly quick and thorough cleaning. A precise, splash-free water flow ensures the entire interior of the bowl is rinsed thoroughly to ensure cleanliness.

Conventional WC
with flushing rim | with ledge

Rimless WC
without flushing rim | without ledge

Rimless DirectFlush WC
without flushing rim | with ledge

Direct Flush
Villeroy & Boch

villeroyboch.com/directflush

EXPRESS - COLOUR GUIDES & ORDERING

Ceramic Colours / Finishes

01 = White Alpin

Icons

WC Rimless

4.5l/3l Flush

Symbols

suitable for 3-hole tap fittings, centre tap holes punched out

suitable for single hole tap fittings only

with integral overflow

Furniture colours - Avento

B1 = Crystal Grey

B3 = Crystal Black

B4 = Crystal White

PN = Elm Impresso

RH = Oak Kansas

RK = Stone Oak

VH = Arizona Oak

VJ = Nordic Oak

Furniture colours - Subway 2.0

DH = Glossy White

FP = Glossy Grey

VK = Soft Grey

VH = Arizona Oak

For technical info visit:

www.pro.villeroy-boch.com

T's & C's apply. All prices indicated are suggested retail prices in GBP and subject to VAT. We reserve the right to make (price) changes; prices are subject to printing errors. Claims arising from incorrect prices and descriptions may not be considered. Offers, sales and deliveries are subject to "General Sales Conditions".

EXPRESS - OVERVIEW



O.NOVO

O.NOVO

O.NOVO - HAND WASH BASINS

HANDWASHBASIN COMPACT - RIGHT HAND - 36cm



Article number	Description	01		pcs/ pal.	kg/ pc.
4342 36 01	360 x 250 mm	84,-	-	48	7

HANDWASHBASIN COMPACT - LEFT HAND - 36cm



Article number	Description	01		pcs/ pal.	kg/ pc.
4343 36 01	360 x 250 mm	84,-	-	48	6,05

HANDWASHBASIN COMPACT - 50cm x 25cm



Article number	Description	01		pcs/ pal.	kg/ pc.
4342 R5 01	500 x 250 mm 1x	106,-	-	48	8,1
4342 L5 01	500 x 250 mm 1x	106,-	-	48	8,1

HANDWASHBASIN - 45cm



Article number	Description	01		pcs/ pal.	kg/ pc.
4344 45 01	450 x 370 mm	81,-	-	22	12

5265 00 01	PEDESTAL	70,-	-	56	7,94
5267 00 01	TRAP COVER (BASIN UNDER 500mm) fastening set included	81,-	-	64	5

For ViConnect Wall Mounted Basin Installation Frames please see page 56

All prices excluding VAT.

O.NOVO - HAND WASH BASINS

O.NOVO - BASINS (50cm - 60cm)

WASHBASIN - 50cm Wall Mounted



Article number	Description	01		pcs/ pal.	kg/ pc.
4344 50 01	500 x 370 mm	98,-	-	22	12
5265 00 01	PEDESTAL	70,-	-	56	7,94
5267 00 01	TRAP COVER (BASIN UNDER 500mm) fastening set included	81,-	-	64	5

WASHBASIN - 55cm Wall Mounted



Article number	Description	01		pcs/ pal.	kg/ pc.
4A41 55 01	550 x 460 mm	98,-	-	16	18,1
5265 00 01	PEDESTAL	70,-	-	56	7,94
5266 00 01	TRAP COVER fastening set included	83,-	-	40	7,6

WASHBASIN - 60cm Wall Mounted



Article number	Description	01		pcs/ pal.	kg/ pc.
4A41 60 01	600 x 460 mm	117,-	-	16	18,6
5265 00 01	PEDESTAL	70,-	-	56	7,94
5266 00 01	TRAP COVER fastening set included	83,-	-	40	7,6

For ViConnect Wall Mounted Basin Installation Frames please see page 56

All prices excluding VAT.

O.NOVO - BASINS (50cm - 60cm)

O.NOVO - BACK-TO-WALL WC, RIMLESS

BACK-TO-WALL WC - RIMLESS
DirectFlush



Article number	Description	01		pcs/ pal.	kg/ pc.
4624 R0 01	360 x 560 mm	**230,-**	-	6	29,7

floor-standing, fully back to wall pan, horizontal outlet, with fastening set for concealed fastening; with watersaving AQUAREDUCT® system: flush volume 3 / 4,5 litres; recommendation: to be installed from the wall at 15mm

9M38 S1 01	**TOILET SEAT AND COVER** with QuickRelease and SoftClosing hinges, hinges in stainless steel	**88,-**	-	216	2,21

BACK-TO-WALL WC



Article number	Description	01		pcs/ pal.	kg/ pc.
5657 10 01	360 x 560 mm	**167,-**	-	8	30

floor-standing, fully back to wall pan, horizontal outlet, with fastening set for concealed fastening; with watersaving AQUAREDUCT® system: flush volume 3 / 4,5 litres;

9M38 S1 01	**TOILET SEAT AND COVER** with QuickRelease and SoftClosing hinges, hinges in stainless steel	**88,-**	-	216	2,21

All prices excluding VAT.

O.NOVO - CLOSE-COUPLED COMPACT WCS, RIMLESS

CLOSE-COUPLED WC, RIMLESS, FLAT BACK TO WALL, COMPACT
DirectFlush

COMPACT



Article number	Description	01		pcs/ pal.	kg/ pc.
4625 R0 01	360 x 610 mm	**262,-**	-	8	30

Compact, floor-standing, back to wall, vertical outlet, with fastening set for concealed fastening, with water-saving AQUAREDUCT® system: flush volume 3 / 4,5 litres

5788 61 01	**CISTERN** water inlet from the sides, flushing mechanism with DualFlush water-saving button, chrome	**171,-**	-	16	12.14
5788 71 01	**CISTERN** bottom water inlet, flushing mechanism with DualFlush water-saving button, chrome	**171,-**	-	16	11.76
8M36 S1 01	**TOILET SEAT AND COVER** with QuickRelease and SoftClosing hinges, hinges in stainless steel	**116,-**	-	216	2,24

CLOSE-COUPLED WC, RIMLESS, OPEN BACK, RIMLESS COMPACT
DirectFlush

COMPACT



Article number	Description	01		pcs/ pal.	kg/ pc.
5689 R0 01	360 x 605 mm	**227,-**	-	8	21

floor-standing, horizontal outlet, with fastening set for concealed fastening, with water-saving AQUAREDUCT® system: flush volume 3 / 4,5 litres

5788 61 01	**CISTERN** water inlet from the sides, flushing mechanism with DualFlush water-saving button, chrome	**171,-**	-	16	12.14
5788 71 01	**CISTERN** bottom water inlet, flushing mechanism with DualFlush water-saving button, chrome	**171,-**	-	16	11.76
9M38 S1 01	**TOILET SEAT AND COVER** with QuickRelease and SoftClosing hinges, hinges in stainless steel	**88,-**	-	216	2,21

O.NOVO - CLOSE-COUPLED WC

CLOSE-COUPLED WC, RIMLESS, OPEN BACK

DirectFlush



Article number	Description	01		pcs/ pal.	kg/ pc.
5661 R0 01	360 x 670 mm	**183,-**	-	8	22
floor-standing, horizontal outlet, with fastening set for concealed fastening, with water-saving AQUAREDUCT® system: flush volume 3 / 4,5 litres					
5760 61 01	**CISTERN** fastening set included, water inlet from the sides or rear, flushing mechanism with DualFlush water-saving button, chrome	**145,-**	-	16	13.82
5760 71 01	**CISTERN** fastening set included, bottom water inlet, flushing mechanism with DualFlush water-saving button, chrome	**145,-**	-	16	13.82
9M38 S1 01	**TOILET SEAT AND COVER** with QuickRelease and SoftClosing hinges, hinges in stainless steel	**88,-**	-	216	2,21

CLOSE-COUPLED WC, OPEN BACK



Article number	Description	01		pcs/ pal.	kg/ pc.
5661 10 01	360 x 670 mm horizontal outlet	**145,-**	-	8	22,3
floor-standing, with fastening set for concealed fastening, with water-saving AQUAREDUCT® system: flush volume 3 / 4,5 litres					
5760 61 01	**CISTERN** fastening set included, water inlet from the sides or rear, flushing mechanism with Dual-Flush water-saving button, chrome	**145,-**	-	16	13.82
5760 71 01	**CISTERN** fastening set included, bottom water inlet, flushing mechanism with DualFlush water-saving button, chrome	**145,-**	-	16	13.82
9M38 S1 01	**TOILET SEAT AND COVER** with QuickRelease and SoftClosing hinges, hinges in stainless steel	**88,-**	-	216	2,21

CLOSE-COUPLED WC, FLAT BACK-TO-WALL



Article number	Description	01		pcs/ pal.	kg/ pc.
5658 10 01	360 x 640 mm	**225,-**	-	6	32.82
floor-standing, back to wall, horizontal outlet, with fastening set for concealed fastening, with water-saving AQUAREDUCT® system: flush volume 3 / 4,5 litres,					
5788 71 01	**CISTERN** water inlet from the sides, flushing mechanism with DualFlush water-saving button, chrome	**171,-**	-	16	11.76
5788 61 01	**CISTERN** bottom water inlet, flushing mechanism with DualFlush water-saving button, chrome	**171,-**	-	16	12.14
9M38 S1 01	**TOILET SEAT AND COVER** with QuickRelease and SoftClosing hinges, hinges in stainless steel	**88,-**	-	216	2,21

O.NOVO - WALL MOUNTED WC COMBI PACKS

COMBI-PACK - STANDARD 56cm x 36cm, RIMLESS
DirectFlush



Article number	Description	01		pcs/ pal.	kg/ pc.
5660 HR 01	individual packaging materials, wall-mounted, horizontal outlet composed of: Washdown WC DirectFlush 5660 R0 XX, WC-seat with QuickRelease and Soft-Closing hinges 9M38 S1 01	302,-	-	12	20

COMBI-PACK - COMPACT 49cm x 36cm, RIMLESS
DirectFlush

COMPACT



Article number	Description	01		pcs/ pal.	kg/ pc.
5688 HR 01	individual packaging materials, wall-mounted, horizontal outlet composed of: Washdown WC Compact DirectFlush 5688 R0 XX, WC-seat with QuickRelease and SoftClosing hinges 9M38 S1 01	320,-	-	12	17

COMBI-PACK - STANDARD 56cm x 36cm



Article number	Description	01		pcs/ pal.	kg/ pc.
5660 H1 01	individual packaging materials, wall-mounted, horizontal outlet composed of: Washdown WC 566010 XX, WC-seat with QuickRelease and SoftClosing hinges 9M38 S1 01	270,-	-	12	18

COMBI-PACK - COMPACT 49cm x 36cm

COMPACT



Article number	Description	01		pcs/ pal.	kg/ pc.
5688 H1 01	individual packaging materials, wall-mounted, horizontal outlet composed of: Washdown WC compact 5688 10 XX, WC-seat with QuickRelease and SoftClosing hinges 9M38 S1 01	343,-	-	12	17.4

O.NOVO - WALL MOUNTED WC, RIMLESS

WALL MOUNTED WC, 56cm x 36cm, RIMLESS
DirectFlush



Article number	Description	01		pcs/ pal.	kg/ pc.
5660 R0 01	360 x 560 mm	**200,-**	-	14	18
wall-mounted, horizontal outlet, with water-saving AQUAREDUCT® system: flush volume 3 / 4,5 litres, not suitable for installation with flush valves					
9M38 S1 01	**TOILET SEAT AND COVER** with QuickRelease and SoftClosing hinges, hinges in stainless steel	**88,-**	-	216	2,21

WALL MOUNTED WC, 36cm x 49cm, RIMLESS, COMPACT
DirectFlush

COMPACT



Article number	Description	01		pcs/ pal.	kg/ pc.
5688 R0 01	360 x 490 mm	**261,-**	-	14	14
wall-mounted, horizontal outlet, with water-saving AQUAREDUCT® system: flush volume 3 / 4,5 litres, not suitable for installation with flush valves					
9M38 S1 01	**TOILET SEAT AND COVER** with QuickRelease and SoftClosing hinges, hinges in stainless steel	**88,-**	-	216	2,21

WALL MOUNTED WC, 56cm x 36cm



Article number	Description	01		pcs/ pal.	kg/ pc.
5660 10 01	360 x 560 mm	**171,-**	-	14	18
wall-mounted, horizontal outlet, with water-saving AQUAREDUCT® system: flush volume 3 / 4,5 litres, not suitable for installation with flush valves					
9M38 S1 01	**TOILET SEAT AND COVER** with QuickRelease and SoftClosing hinges, hinges in stainless steel	**88,-**	-	216	2,21

WALL MOUNTED WC, 36cm x 49cm, COMPACT

COMPACT



Article number	Description	01		pcs/ pal.	kg/ pc.
5688 10 01	360 x 490 mm	**220,-**	-	14	14
wall-mounted, horizontal outlet, with water-saving AQUAREDUCT® system: flush volume 3 / 4,5 litres, not suitable for installation with flush valves					
9M38 S1 01	**TOILET SEAT AND COVER** with QuickRelease and SoftClosing hinges, hinges in stainless steel	**88,-**	-	216	2,21

All prices excluding VAT.

ARCHITECTURA

ARCHITECTURA - BASINS (36-55cm)

HANDWASHBASIN- 36cm - WALL MOUNTED



Article number	Description	01		pcs/ pal.	kg/ pc.
4373 36 01	360 x 260 mm suitable for 1-hole tap fittings, tap hole punched out on right ⬭	100,-	-	48	7

HANDWASHBASIN - 45cm - WALL MOUNTED



Article number	Description	01		pcs/ pal.	kg/ pc.
4373 45 01	450 x 380 mm ○ ⬭	91,-	-	24	12

HANDWASHBASIN - 50cm - WALL MOUNTED



Article number	Description	01		pcs/ pal.	kg/ pc.
4373 50 01	500 x 380 mm ○ ⬭	122,-	-	24	12,9
7264 00 01	**TRAP COVER** SmartFix cannot be combined with 3-hole tap fittings, incl. fastening set "SmartFix"	122,-	-	45	7,05

HANDWASHBASIN - 55cm - WALL MOUNTED



Article number	Description	01		pcs/ pal.	kg/ pc.
4188 55 01	550 x 470 mm ◌○◌ ⬭	122,-	-	16	18,7
7G02 00 01	**PEDESTAL**	104,-	-	56	7,9
7264 00 01	**TRAP COVER** SmartFix cannot be combined with 3-hole tap fittings, incl. fastening set "SmartFix"	122,-	-	45	7,05

All prices excluding VAT.

ARCHITECTURA - 60-80cm BASINS & SEMI-RECESSED BASIN

HANDWASHBASIN - 60cm - WALL MOUNTED



Article number	Description	01		pcs/ pal.	kg/ pc.
4188 60 01	600 x 470 mm	153,-	-	16	19,5
7G02 00 01	PEDESTAL	104,-	-	56	7,9
7264 00 01	TRAP COVER cannot be combined with 3-hole tap fittings, incl. fastening set "SmartFix"	122,-	-	45	7,05

WASHBASIN - 80cm - WALL MOUNTED



Article number	Description	01		pcs/ pal.	kg/ pc.
6116 80 01	800 x 485 mm	477,-	-	8	26,4
7G02 00 01	PEDESTAL	104-	-	56	7,9
7264 00 01	TRAP COVER cannot be combined with 3-hole tap fittings, incl. fastening set "SmartFix"	122,-	-	45	7,05

SEMI-RECESSED WASHBASIN



Article number	Description	01		pcs/ pal.	kg/ pc.
4190 55 XX	550 x 430 mm	192,-	-	10	15.9

For ViConnect Wall Mounted Basin Installation Frames please see page 56

ARCHITECTURA - SIT-ON, BUILT-IN AND UNDERCOUNTER BASINS

SURFACE-MOUNTED WASHBASIN



Article number	Description	01	pcs/ pal.	kg/ pc.
4125 40 01	400mm Diameter for wall-mounted washbasin mixers or tall pillar tap fittings, without tap hole area ⬭	245,-	14	11.62

BUILT-IN WASHBASIN



Article number	Description	01	pcs/ pal.	kg/ pc.
4165 40 01	415mm Diameter without tap hole area ⬭	240,-	14	12,1

UNDERCOUNTER WASHBASIN



Article number	Description	01	pcs/ pal.	kg/ pc.
4175 40 01	340 mm Diameter without tap hole area ⬭	240,-	14	11,58

All prices excluding VAT.

ARCHITECTURA - SIT-ON, BUILT-IN AND UNDERCOUNTER BASINS

SURFACE-MOUNTED WASHBASIN



Article number	Description	01	pcs/ pal.	kg/ pc.
4126 60 01	600 x 400 mm for wall-mounted washbasin mixers or tall pillar tap fittings, without tap hole area ⬭	286,-	10	18.28

BUILT-IN WASHBASIN



Article number	Description	01	pcs/ pal.	kg/ pc.
4166 60 01	615 x 415 mm without tap hole area ⬭	282,-	10	16.98

UNDERCOUNTER WASHBASIN



Article number	Description	01	pcs/ pal.	kg/ pc.
4176 60 01	540 x 340 mm without tap hole area ⬭	271,-	10	20.68

SURFACE-MOUNTED WASHBASIN



Article number	Description	01	pcs/ pal.	kg/ pc.
4127 60 01	600 x 410 mm for wall-mounted washbasin mixers or tall pillar tap fittings, without tap hole area ⬭	286,-	10	20.5

BUILT-IN WASHBASIN



Article number	Description	01	pcs/ pal.	kg/ pc.
4167 60 01	615 x 415 mm without tap hole area ⬭	282,-	10	20.33

UNDERCOUNTER WASHBASIN



Article number	Description	01	pcs/ pal.	kg/ pc.
4177 60 01	540 x 340 mm without tap hole area ⬭	271,-	10	21.2

ARCHITECTURA - BACK-TO-WALL WC

BACK-TO-WALL WC - RIMLESS
DirectFlush



Article number	Description		01		pcs/ pal.	kg/ pc.
5690 R0 01	370 x 540 mm	Direct Flush	**276,-**	-	12	25,5
floor-standing, back to wall, horizontal outlet, with fastening set for concealed fastening, with water-saving AQUAREDUCT® system: flush volume 3 / 4,5 litres						
98M9 C1 01	**TOILET SEAT AND COVER** with QuickRelease and SoftClosing hinges, hinges in stainless steel		**101,-**	-	144	2,52
98M9 D1 01	**TOILET SEAT AND COVER** hinges in stainless steel		**75,-**	-	90	2,57
9M70 S1 01	**TOILET SEAT AND COVER SLIMSEAT** with QuickRelease and SoftClosing hinges, hinges in stainless steel	Slim Seat	**134-**	-	90	2,97

All prices excluding VAT.

ARCHITECTURA - CLOSE-COUPLED WC - RIMLESS

CLOSE-COUPLED WC - RIMLESS
DirectFlush



Article number	Description	01		pcs/ pal.	kg/ pc.
5691 R0 01	370 x 700 mm	**313,-**	-	6	37,2
	floor-standing, back to wall, horizontal outlet, with fastening set for concealed fastening, with water-saving AQUAREDUCT® system: flush volume 3 / 4,5 litres, Recommendation: to be installed at a distance of 15 mm from the wall				
5787 61 01	**CISTERN** water inlet from the sides or rear, flushing mechanism with DualFlush water-saving button, chrome	**164,-**	-	48	15
5787 71 01	**CISTERN** bottom water inlet, flushing mechanism with DualFlush water-saving button, chrome	**164,-**	-	48	15,26
98M9 C1 01	**TOILET SEAT AND COVER** with QuickRelease and SoftClosing hinges, hinges in stainless steel	**101,-**	-	144	2,52
98M9 D1 01	**TOILET SEAT AND COVER** hinges in stainless steel	**75,-**	-	90	2,57
9M70 S1 01	**TOILET SEAT AND COVER SLIMSEAT** with QuickRelease and SoftClosing hinges, hinges in stainless steel	**134,-**	-	90	2,97

For ViConnect Wall Mounted Toilet Installation Frames please see pages 52-53

Wall Mounted

Close - Coupled

Back-To-Wall

ARCHITECTURA - WALL MOUNTED WC COMBI PACKS

WALL MOUNTED WC COMBI-PACK - STANDARD SIZE 53cm x 37cm, RIMLESS, OPEN FIXINGS
DirectFlush



INCLUDING QUICK RELEASE SOFT CLOSE TOILET SEAT

Article number	Description	01		pcs/ pal.	kg/ pc.
5684 HR 01	individual packaging materials, wall-mounted, horizontal outlet composed of: Washdown WC DirectFlush 5684 R0 XX, WC-seat and cover with QuickRelease and SoftClosing hinges 98M9 C1 01	368,-	-	12	24,2

WALL MOUNTED WC COMBI-PACK - STANDARD SIZE 53cm x 37cm, RIMLESS, CONCEALED FIXINGS
DirectFlush



INCLUDING QUICK RELEASE SOFT CLOSE TOILET SEAT

Article number	Description	01		pcs/ pal.	kg/ pc.
4694 HR 01	individual packaging materials, wall-mounted, horizontal outlet composed of: Washdown WC DirectFlush 4694 R0 XX, WC-seat and cover with QuickRelease and SoftClosing hinges 98M9 C1 01	417,-	-	12	24,7

WALL MOUNTED WC COMBI-PACK - COMPACT SIZE 48cm x 35cm, RIMLESS, OPEN FIXINGS
DirectFlush



INCLUDING QUICK RELEASE SOFT CLOSE TOILET SEAT

Article number	Description	01		pcs/ pal.	kg/ pc.
4687 HR 01	individual packaging materials, wall-mounted, horizontal outlet composed of: Washdown WC DirectFlush 4687 R0 XX, WC-seat and cover with QuickRelease and SoftClosing hinges 9M66 S2 01	392,-	-	12	21

WALL MOUNTED WC COMBI-PACK - STANDARD SIZE 53cm x 37cm, RIMLESS, OPEN FIXINGS, SQUARE
DirectFlush



INCLUDING QUICK RELEASE SOFT CLOSE TOILET SEAT

Article number	Description	01		pcs/ pal.	kg/ pc.
5685 HR 01	individual packaging materials, wall-mounted, horizontal outlet composed of: Washdown WC DirectFlush 5685 R0 XX, WC-seat and cover with QuickRelease and SoftClosing hinges 9M58 S1 01	396,-	-	12	22

All prices excluding VAT.

ARCHITECTURA - WALL MOUNTED WC COMBI PACKS

Architectura Wall Mounted WC

- Rimless
- Open fixings
- 53cm x 37cm
- Quick Release, Soft Close Seat

Architectura Wall Mounted WC

- Rimless, Direct Flush
- Concealed fixings
- 53cm x 37cm
- Quick Release, Soft Close Seat

Architectura Wall Mounted WC

- Compact
- Rimless, Direct Flush
- Open fixings
- 48cm x 35cm
- Quick Release, Soft Close Seat

Architectura Wall Mounted WC

- Square
- Rimless, Direct Flush
- Open fixings
- 53cm x 37cm
- Quick Release, Soft Close Seat

ARCHITECTURA - WALL MOUNTED WCS

WALL MOUNTED WC - STANDARD SIZE 53cm x 37cm, RIMLESS, OPEN FIXINGS

DirectFlush



Article number	Description	01		pcs/ pal.	kg/ pc.
5684 R0 01	370 x 530 mm	**218,-**	-	14	20,3
wall-mounted, horizontal outlet, with water-saving AQUAREDUCT® system: flush volume 3 / 4,5 litres, not suitable for installation with flush valves					
98M9 C1 01	**TOILET SEAT AND COVER** with QuickRelease and SoftClosing hinges, hinges in stainless steel	**101,-**	-	144	2,52
98M9 D1 01	**TOILET SEAT AND COVER** hinges in stainless steel	**75,-**	-	90	2,57
9M70 S1 01	**TOILET SEAT AND COVER SLIMSEAT** with QuickRelease and SoftClosing hinges, hinges in stainless steel	**134,-**	-	90	2,97

WALL MOUNTED WC - STANDARD SIZE 53cm x 37cm, RIMLESS, CONCEALED FIXINGS

DirectFlush



Article number	Description	01		pcs/ pal.	kg/ pc.
4694 R0 01	370 x 530 mm	**247,-**	-	14	24,7
wall-mounted, horizontal outlet, fastening set included, with water-saving AQUAREDUCT® system: flush volume 3 / 4,5 litres, not suitable for installation with flush valves					
98M9 C1 01	**TOILET SEAT AND COVER** with QuickRelease and SoftClosing hinges, hinges in stainless steel	**101,-**	-	144	2,52
98M9 D1 01	**TOILET SEAT AND COVER** hinges in stainless steel	**75,-**	-	90	2,57
9M70 S1 01	**TOILET SEAT AND COVER SLIMSEAT** with QuickRelease and SoftClosing hinges, hinges in stainless steel	**134,-**	-	90	2,97

WALL MOUNTED WC - COMPACT SIZE 48cm x 35cm, RIMLESS, OPEN FIXINGS

DirectFlush



Article number	Description	01		pcs/ pal.	kg/ pc.
4687 R0 01	350 x 480 mm	**300,-**	-	14	18
wall-mounted, horizontal outlet, with water-saving AQUAREDUCT® system: flush volume 3 / 4,5 litres, not suitable for installation with flush valves					
9M66 S2 01	**TOILET SEAT AND COVER COMPACT** with QuickRelease and SoftClosing hinges, hinges in stainless steel	**125,-**	-	90	2,88

For ViConnect Wall Mounted Toilet Installation Frames please see pages 52-53

All prices excluding VAT.

ARCHITECTURA - WALL MOUNTED WCS & BIDETS

WALL MOUNTED WC - STANDARD SIZE 53cm x 37cm, RIMLESS, OPEN FIXINGS, SQUARE
DirectFlush



Article number	Description	01		pcs/ pal.	kg/ pc.
5685 R0 01	370 x 530 mm Direct Flush AntiBac	**236,-**	-	14	22
wall-mounted, horizontal outlet, with water-saving AQUAREDUCT® system: flush volume 3 / 4,5 litres, not suitable for installation with flush valves					
9M58 S1 01	**TOILET SEAT AND COVER** with QuickRelease and SoftClosing hinges, hinges in stainless steel	**128,-**	-	72	2,71
9M60 61 01	**TOILET SEAT AND COVER** hinges in stainless steel	**107,-**	-	144	2,63
9M81 S1 01	**TOILET SEAT AND COVER SLIMSEAT** with QuickRelease and SoftClosing hinges, hinges in stainless steel Slim Seat	**150,-**	-	40	2,65

WALL MOUNTED BIDET



Article number	Description	01		pcs/ pal.	kg/ pc.
5484 00 01	370 x 530 mm	**380,-**	-	16	19,3

For ViConnect Wall Mounted Toilet Installation Frames please see pages 52-53

AVENTO

THIS IS YOUR LIFE.
DO WHAT YOU LOVE,
AND DO IT OFTEN.
IF YOU DON'T LIKE SOMETHING, CHANGE IT.
IF YOU DON'T LIKE YOUR JOB, QUIT.
IF YOU DON'T HAVE ENOUGH TIME, STOP WATCHING TV.
IF YOU ARE LOOKING FOR THE LOVE OF YOUR LIFE, STOP.
THEY WILL BE WAITING FOR YOU WHEN YOU
START DOING THINGS YOU LOVE.
STOP OVER ANALYZING.
LIFE IS SIMPLE.
OPEN YOUR MIND, ARMS, AND HEART TO NEW THINGS
AND PEOPLE. WE ARE UNITED IN OUR DIFFERENCES.
ASK THE NEXT PERSON YOU SEE WHAT THEIR PASSION IS,
AND SHARE YOUR INSPIRING DREAM WITH THEM.
TRAVEL OFTEN;
SOME OPPORTUNITIES ONLY COME ONCE. SEIZE THEM.
LIFE IS ABOUT THE PEOPLE YOU MEET, AND
THE THINGS YOU CREATE WITH THEM.
SO GO OUT AND START CREATING.
LIFE IS
SHORT.
LIVE YOUR DREAM
AND SHARE
YOUR PASSION.

AVENTO

AVENTO - HAND WASH BASINS / SEMI RERCESSED

HANDWASHBASIN COMPACT - RIGHT HAND - 36cm



Article number	Description	01		pcs/ pal.	kg/ pc.
4300 3R 01	360 x 220 mm O ⊘	144,-	-	90	5,5

HANDWASHBASIN COMPACT - LEFT HAND - 36cm



Article number	Description	01		pcs/ pal.	kg/ pc.
4300 3L 01	360 x 220 mm O ⊘	144 ,-	-	90	5,5

HANDWASHBASIN - 45cm WALL MOUNTED



Article number	Description	01		pcs/ pal.	kg/ pc.
7358 45 01	450 x 370 mm O ⬭	136,-	-	48	10,4
5222 00 01	TRAP COVER cannot be combined with 3-hole tap fittings, fastening set included	171,-	-	50	7,35

SEMI-RECESSED BASIN 55cm FOR FURNITURE / WORKTOP MOUNTING



Article number	Description	01		pcs/ pal.	kg/ pc.
4A06 55 01	550 x 440 mm ◌ O ◌ ⬭	244,-	-	12	14,7

Fastening set and template included

For ViConnect Wall Mounted Basin Installation Frames please see page 56

All prices excluding VAT.

AVENTO - WASHBASINS (55cm - 60cm)

WASHBASIN COMPACT - 55cm x 37cm - WALL MOUNTED



Article number	Description	01		pcs/ pal.	kg/ pc.
4A00 55 01	550 x 370 mm	169,-	-	36	13
5222 00 01	**TRAP COVER** cannot be combined with 3-hole tap fittings, fastening set included	171,-	-	50	7,35

WASHBASIN - 60cm - WALL MOUNTED



Article number	Description	01		pcs/ pal.	kg/ pc.
4158 60 01	600 x 470 mm	193,-	-	24	16.5
5244 00 01	**TRAP COVER** cannot be combined with 3-hole tap fittings, incl. fastening set "SmartFix"	171,-	-	40	5,59

For ViConnect Wall Mounted Basin Installation Frames please see page 56

AVENTO - WASHBASINS (80cm -130cm)

WASHBASIN 80cm WALL MOUNTED



Article number	Description	01		pcs/ pal.	kg/ pc.
4156 80 01	800 x 470 mm ○O○ ⬭	521,-	-	12	20,5
5244 00 01	**TRAP COVER** SmartFix cannot be combined with 3-hole tap fittings, incl. fastening set "SmartFix"	171,-	-	40	5,59

VANITY WASHBASIN



Article number	Description	01		pcs/ pal.	kg/ pc.
4156 A4 01	1000 x 470 mm 2×O ⬭	641,-	-	8	25
4156 A5 01	1000 x 470 mm ○O○ ⬭	641,-	-	8	25
5244 00 01	**TRAP COVER** SmartFix cannot be combined with 3-hole tap fittings, incl. fastening set "SmartFix"	171,-	-	40	5,59

DOUBLE WASHBASIN 130cm WALL MOUNTED



Article number	Description	01		pcs/ pal.	kg/ pc.
4A23 CK 01	1200 x 470 mm 2×○O○ ⬭	832,-	-	8	32,5
5244 00 01	**TRAP COVER** SmartFix cannot be combined with 3-hole tap fittings, incl. fastening set "SmartFix"	171,-	-	40	5,59

All prices excluding VAT.

AVENTO - COMBI PACKS

COMBI-PACK
DirectFlush



Article number	Description	01		pcs/ pal.	kg/ pc.
5656 RS 01	individual packaging materials, wall-mounted, horizontal outlet composed of: Washdown WC DirectFlush 5656 R0 XX, SlimSeat with QuickRelease and SoftClosing hinges 9M87 S1 01	**486,-**	-	12	22

COMBI-PACK
DirectFlush



Article number	Description	01		pcs/ pal.	kg/ pc.
5656 HR 01	individual packaging materials, wall-mounted, horizontal outlet composed of: Washdown WC DirectFlush 5656 R0 XX, WC-seat with QuickRelease and SoftClosing hinges 9M77 C1 XX	**464,-**	-	12	22

For ViConnect Wall Mounted Toilet Installation Frames please see pages 54-55

AVENTO - CLOSED-COUPLED TOILET & WALL MOUNTED BIDET

WASHDOWN TOILET FOR CLOSE-COUPLED TOILET-SUITE, RIMLESS
DirectFlush



Article number	Description	01		pcs/ pal.	kg/ pc.
5644 R0 01	370 x 640 mm (Direct Flush)	349,-	-	8	29
floor-standing, horizontal outlet, with fastening set for concealed fastening, with water-saving AQUAREDUCT® system: flush volume 3 / 4,5 litres					
7758 11 01	**CISTERN** water inlet from the sides or rear, flushing mechanism with DualFlush water-saving button, chrome	171,-	-	16	10,8
7758 71 01	**CISTERN** bottom water inlet, flushing mechanism with DualFlush water-saving button, chrome	171,-	-	16	11.94
9M77 C1 01	**TOILET SEAT AND COVER** with QuickRelease and SoftClosing hinges, hinges in stainless steel	131,-	-	108	2,61
9M87 S1 01	**TOILET SEAT AND COVER SLIMSEAT** with QuickRelease and SoftClosing hinges, hinges in stainless steel (Slim Seat)	154 ,-	-	90	2,91

WALL MOUNTED BIDET



Article number	Description	01		pcs/ pal.	kg/ pc.
5405 00 01	370 x 530 mm	400,-	-	12	18,9
wall-mounted, with fastening set for concealed fastening					

For ViConnect Bidet Installation Frames please see page 52

All prices excluding VAT.

AVENTO - BASIN & FURNITURE PROGRAM

Avento Furniture Program Colours

B1 = Crystal Grey

B3 = Crystal Black

B4 = Crystal White

PN = Elm Impresso

RH = Oak Kansas

RK = Stone Oak

VH = Arizona Oak

VJ = Nordic Oak

AVENTO FURNITURE PROGRAM

HOW TO ORDER:
To order your furniture in the required colour and the ceramic type please: 1) replace the "XX" in the article code with your required furniture colour code

Furniture colour codes (XX)

B1 = Crystal Grey

B3 = Crystal Black

B4 = Crystal White

PN = Elm Impresso

RH = Oak Kansas

RK = Stone Oak

VH = Arizona Oak

VJ = Nordic Oak

EXAMPLE:
left hand handwash basin unit in with arizona oak furniture would be: **SAVE 31 VH01**

HANDWASH BASIN & FURNITURE UNIT SETS - 36cm x 22cm (overall dimension)

	BASIN & FURNITURE SAVE PACK	BASIN & FURNITURE SAVE PACK
	L/H Hinge Soft close door	R/H Hinge Soft close door
Article number	**SAVE 31 XX01**	**SAVE 33 XX01**
Furniture only dimensions (w x h x d)	340 x 514 x 202 mm	340 x 514 x 202 mm
Hinges	hinges on left	hinges on right
Comprising of	handwash basin 4300 3L, basin left vanity unit A876 00, 1x door	handwash basin 4300 3L, basin left vanity unit A876 01, 1x door
Handle Colour	Chrome	Chrome
Installation Type	wall-mounted, brackets inc.	wall-mounted, brackets inc.
Price with "01" White Ceramic	**460,-**	**460,-**
	SAVE 32 XX01 - As above but basin on the right	SAVE 32 XX01 - As above but basin on the right

HANDWASH BASIN & FURNITURE UNIT SETS- 45cm x 37cm (overall dimension)

	BASIN & FURNITURE SAVE PACK	BASIN & FURNITURE SAVE PACK
	L/H Hinge Soft close door	R/H Hinge Soft close door
Article number	**SAVE 15 XX01**	**SAVE 17 XX01**
Furniture only dimensions (w x h x d)	430 x 514 x 352 mm	430 x 514 x 352 mm
Hinges	hinges on left	hinges on right
Comprising of	Handwashbasin 7358 45 with overflow, 1x tap hole punched out vanity unit A887 00, 1x door	Handwashbasin 7358 45 with overflow, 1x tap hole punched out vanity unit A887 01, 1x door
Handle Colour	Chrome	Chrome
Installation Type	wall-mounted, brackets inc.	wall-mounted, brackets inc.
Price with "01" White Ceramic	**541,-**	**541,-**

All prices excluding VAT.

AVENTO FURNITURE PROGRAM

COMPACT WASHBASIN & FURNITURE UNIT SETS - 55cm x 37cm (overall dimension)

	BASIN & FURNITURE SAVE PACK	BASIN & FURNITURE SAVE PACK
	L/H Hinge Soft close drawers	R/H Hinge Soft close drawers
Article number	**SAVE 11 XX01**	**SAVE 13 XX01**
Furniture only dimensions (w x h x d)	530 x 514 x 352 mm	530 x 514 x 352 mm
Hinges	hinges on left	hinges on right
Comprising of	Washbasin 4A00 55 with overflow, 1x tap hole punched out vanity unit A888 00, 1x door	Washbasin 4A00 55 with overflow, 1x tap hole punched out vanity unit A888 01, 1x door
Handle Colour	Chrome	Chrome
Installation Type	wall-mounted, brackets inc.	wall-mounted, brackets inc.
Price with "01" White Ceramic	**586,-**	**586,-**

WASHBASIN & FURNITURE UNIT SET- 60cm x 47cm (overall dimension)

	BASIN & FURNITURE SAVE PACK
	Double pull-out Soft close drawers
Article number	**SAVE 09 XX01**
Furniture only dimensions (w x h x d)	580 x 514 x 452 mm
Comprising of	Washbasin 4158 60 with overflow, 1x tap hole punched out vanity unit A889 00 2x pull-out compartments
Handle Colour	Chrome
Installation Type	wall-mounted, brackets inc.
Price with "01" White Ceramic	**667,-**

WASHBASIN & FURNITURE UNIT SET- 65cm x 47cm (overall dimension)

	BASIN & FURNITURE SAVE PACK
	Double pull-out Soft close drawers
Article number	**SAVE 07 XX01**
Furniture only dimensions (w x h x d)	630 x 514 x 452 mm
Comprising of	Washbasin 4158 65 with overflow, 1x tap hole punched out vanity unit A890 00 2x pull-out compartments
Handle Colour	Chrome
Installation Type	wall-mounted, fastening set included
Price with "01" White Ceramic	**829,-**

AVENTO FURNITURE PROGRAM

HOW TO ORDER:
To order your furniture in the required colour and the ceramic type please: 1) replace the "XX" in the article code with your required furniture colour code

Furniture colour codes (XX)

B1 = Crystal Grey

B3 = Crystal Black

B4 = Crystal White

PN = Elm Impresso

RH = Oak Kansas

RK = Stone Oak

VH = Arizona Oak

VJ = Nordic Oak

EXAMPLE:
left hand handwash basin unit with arizona oak furniture would be: **SAVE 31 VH01**

WASHBASIN & FURNITURE UNIT SET - 80cm x 47cm (overall dimension)

	BASIN & FURNITURE SAVE PACK
	Double pull-out soft close drawers
Article number	**SAVE 05 XX01**
Furniture only dimensions (w x h x d)	780 x 514 x 452 mm
Comprising of	Vanity washbasin 4156 80 with overflow, 1x tap hole punched out vanity unit A891 00 2x pull-out compartments
Handle Colour	Chrome
Installation Type	wall-mounted, brackets inc.
Price with "01" White Ceramic	**1.151,-**

WASHBASIN & FURNITURE UNIT SET - 100cm x 47cm (overall dimension)

	BASIN & FURNITURE SAVE PACK
	Double pull-out soft close drawers
Article number	**SAVE 03 XX01**
Furniture only dimensions (w x h x d)	980 x 514 x 452 mm
Comprising of	Vanity washbasin 4156 A5 with overflow, 1x tap hole punched out vanity unit A892 00 2x pull-out compartments
Handle Colour	Chrome
Installation Type	wall-mounted, fastening set included
Price with "01" White Ceramic	**1.326,-**

All prices excluding VAT.

AVENTO FURNITURE PROGRAM

WASHBASIN & FURNITURE UNIT SET -100cm x 47cm (overall dimension)

	BASIN & FURNITURE SAVE PACK
Article number	**SAVE 01 XX01**
Furniture only dimensions (w x h x d)	980 x 514 x 452 mm
Comprising of	Vanity washbasin 4156 A4 with overflow, 2x tap holes punched out vanity unit A892 00 2x pull-out compartment
Handle Colour	Chrome
Installation Type	wall-mounted, brackets inc.
Price with "01" White Ceramic	**1.326,-**

DOUBLE WASHBASIN & FURNITURE UNIT SET - 120cm x 47cm (overall dimension)

	BASIN & FURNITURE SAVE PACK
	Double pull-out soft close drawers
Article number	**SAVE 29 XX01**
Furniture only dimensions (w x h x d)	1180 x 514 x 452 mm
Comprising of	Double vanity washbasin 4A23 CK with overflow, 2x tap holes punched out vanity unit A893 00 4x pull-out compartments
Handle Colour	Chrome
Installation Type	wall-mounted, brackets inc.
Price with "01" White Ceramic	**1.786,-**

AVENTO FURNITURE PROGRAM

HOW TO ORDER:
To order your furniture in the required colour and the ceramic type please: 1) replace the "XX" in the article code with your required furniture colour code

Furniture colour codes (XX)

B1 = Crystal Grey

B3 = Crystal Black

B4 = Crystal White

PN = Elm Impresso

RH = Oak Kansas

RK = Stone Oak

VH = Arizona Oak

VJ = Nordic Oak

EXAMPLE:
left hand handwash basin unit with arizona oak furniture would be: **SAVE 31 VH01**

TALL CABINETS & SIDE CABINETS

	TALL CABINET	TALL CABINET	SIDE CABINET	SIDE CABINET
	Express Delivery	Express Delivery	Express Delivery	Express Delivery
Article number	**A894 00 XX**	**A894 01 XX**	**A895 00 XX**	**A895 01 XX**
Dimensions (w x h x d)	350 x 1760 x 372 mm	350 x 1760 x 372 mm	350 x 890 x 373 mm	350 x 890 x 373 mm
Hinges	hinges on left	hinges on right	hinges on left	hinges on right
Equipped with	2x doors 4x glass shelves	2x doors 4x glass shelves	1x door 2x glass shelves	1x door 2x glass shelves
Installation	wall-mounted	wall-mounted	wall-mounted	wall-mounted
Scope of delivery	fastening set included	fastening set included	fastening set included	fastening set included
B1, B3, B4, PN, VH, VJ	**608,-**	**608,-**	**492,-**	**492-**

All prices excluding VAT.

MEMENTO

MEMENTO - WASHBASINS

WASHBASIN - WALL MOUNTED / SIT ON - 50cm





Article number	Description	01		pcs/ pal.	kg/ pc.
5133 50 01	500 x 420 mm	254,-	-	16	16

wall fastening, towel holder (not included in scope of delivery): side installation (mountable: 2 pc.)

8749 37 D7	**TOWEL RAIL** (optional) 370 x 140 mm, stainless steel, side installation, fastening set included	-	166,-		1,04

WASHBASIN - WALL MOUNTED / SIT ON - 60cm





Article number	Description	01		pcs/ pal.	kg/ pc.
5133 60 01	600 x 420 mm	281,-	-	15	18

wall fastening, towel holder (not included in scope of delivery): side installation (mountable: 2 pc.)

8749 37 D7	**TOWEL RAIL** (optional) 370 x 140 mm, stainless steel, side installation, fastening set included	-	166, -		1,04

SEMI-RECESSED WASHBASIN





Article number	Description	01		pcs/ pal.	kg/ pc.
4133 55 01	550 x 425 mm	334,-	-	12	15,6

incl. template, fastening set included

For ViConnect Wall Mounted Basin Installation Frames please see page 56

All prices excluding VAT.

MEMENTO - WASHBASINS

SUBWAY 2.0

SUBWAY 2.0

SUBWAY 2.0

HANDWASHBASIN - WALL MOUNTED - 45 x 37cm



Article number	Description	01		pcs/ pal.	kg/ pc.
7315 45 01	450 x 370 mm	153,-	-	36	10,85
5222 00 01	**TRAP COVER** cannot be combined with 3-hole tap fittings, fastening set included	171 ,-	-	50	7,35

WASHBASIN - WALL MOUNTED - 55cm



Article number	Description	01		pcs/ pal.	kg/ pc.
7113 55 01	550 x 440 mm	198,-	-	24	17,31
5244 00 01	**TRAP COVER** cannot be combined with 3-hole tap fittings, incl. fastening set "SmartFix"	171,-	-	40	5,59

WASHBASIN - WALL MOUNTED - 60cm



Article number	Description	01		pcs/ pal.	kg/ pc.
7113 60 01	600 x 470 mm	226,-	-	16	18.58
5244 00 01	**TRAP COVER** cannot be combined with 3-hole tap fittings, incl. fastening set "SmartFix"	161,-	-	40	5,59

For ViConnect Wall Mounted Basin Installation Frames please see page 56

All prices excluding VAT.

SUBWAY 2.0

VANITY WASHBASIN



Article number	Description	01		pcs/ pal.	kg/ pc.
7175 A0 01	1000 x 470 mm ○O○ ⬭	678,-	-	6	27,45
7175 80 01	800 x 470 mm ○O○ ⬭	550,-	-	12	23,8
5244 00 01	**TRAP COVER** SmartFix cannot be combined with 3-hole tap fittings, incl. fastening set "SmartFix"	171,-	-	40	5,59

DOUBLE VANITY WASHBASIN



Article number	Description	01		pcs/ pal.	kg/ pc.
7175 D0 01	1300 x 470 mm 2x○O○ ⬭	951,-	-	8	40,3

wall fixation, matching furniture programme: Subway 2.0
For further information about matching valves and CAP, see pages 340-343

5244 00 01	**TRAP COVER** SmartFix cannot be combined with 3-hole tap fittings, incl. fastening set "SmartFix"	171,-	-	40	5,59

VANITY WASHBASIN



Article number	Description	01		pcs/ pal.	kg/ pc.
7176 D0 01	1300 x 470 mm ○O○ ⬭	824,-	-	8	39,2

wall fixation, matching furniture programme: Subway 2.0
For further information about matching valves and CAP, see pages 340-343

5244 00 01	**TRAP COVER** SmartFix cannot be combined with 3-hole tap fittings, incl. fastening set "SmartFix"	171,-	-	40	5,59

VANITY WASHBASIN



Article number	Description	01		pcs/ pal.	kg/ pc.
7176 D2 01	1300 x 470 mm 2x○ ⬭	824,-	-	8	39,2

wall fixation, with 2 single-lever mixers and turn-knob operation or in conjunction with toggle valve, as well as push-open valve, please do not exceed a flow rate of max. 7.5 l/min per tap fitting., matching furniture programme: Subway 2.0

SUBWAY 2.0

HOW TO ORDER:
To order your furniture in the required colour please replace the "XX" in the article code with your required furniture colour code.
Basin and unit ordered separately.

Furniture colour codes (XX)

DH = Glossy White | FP = Glossy Grey | VK = Soft Grey | VH = Arizona Oak

	VANITY UNIT	VANITY UNIT	VANITY UNIT	VANITY UNIT
Article number	**A684 10 XX**	**A686 10 XX**	**A687 10 XX**	**A909 10 XX**
Furniture only dimensions (w x h x d)	440 x 420 x 352 mm	537 x 420 x 423 mm	587 x 420 x 454 mm	587 x 590 x 454mm
For combination with	7315 45 01	7113 55 01	7113 60 01	7113 60 01
Comprising of	1x accessory box L 1x pull-out compartment	1x accessory box L 1x pull-out compartment	1x accessory box L 1x pull-out compartment	1x accessory box L 2x pull-out compartment
Installation Type	wall-mounted	wall-mounted	wall-mounted	wall-mounted
Scope of delivery	fastening set included	fastening set included	fastening set included	fastening set included
DH, FP, VK, VH	**582,-**	**612,-**	**635,-**	**612,-**

All prices excluding VAT.

SUBWAY 2.0

	VANITY UNIT	VANITY UNIT	VANITY UNIT	VANITY UNIT
				
Article number	**A689 10 XX**	**A690 10 XX**	**A692 10 XX**	**A691 10 XX**
Furniture only dimensions (w x h x d)	787 x 420 x 449 mm	987 x 420 x 449 mm	1287 x 420 x 449 mm	1287 x 420 x 449 mm
For combination with	7175 80 01	717 A0 01	7175 D0 01	7175 D0 01 & 7175 D2 01
Comprising of	1 x Accessories package 2 2 x pull-out compartments	1 x Accessories package 2 2 x pull-out compartments	1 x Accessories package 2 4 x pull-out compartments	1x Accessories package 2 4x pull-out compartment
Installation Type	wall-mounted	wall-mounted	wall-mounted	wall-mounted
Scope of delivery	**fastening set included**	**fastening set included**	**fastening set included**	**fastening set included**
DH, FP, VK, VH	**893,-**	**1008,-**	**1.593,-**	**1.593,-**

	TALL CABINET	TALL CABINET
Article number	**A709 10 XX**	**A710 10 XX**
Dimensions (w x h x d)	350 x 1650 x 370 mm	350 x 1650 x 370 mm
Hinges	hinges on left	hinges on right
Equipped with	2x door 3x shelf	2x door 3x shelf
Installation	wall-mounted	wall-mounted
Scope of delivery	fastening set included	fastening set included
DH, FP, VK, VH	**806,-**	**806,-**

VICONNECT - INSTALLATION SYSTEMS

VICONNECT - INSTALLATION SYSTEMS

VICONNECT- WALL MOUNTED WC FRAMES

WC-ELEMENT - Wall Mounted WC-Element, 112cm Height, Front Only Flush Plate



Article number	Description						Pcs/ Pal.	kg/ Pc.
9209 29 00	525 x 1120 x 135 mm self-supporting powder-coated steel frame, fully pre-assembled, front operated, please order flush plate separately, with filling valve type AG (air gap) WRAS compliant		300,-				10	15,8

with wall brackets, incl. feet and fastenings, with protection cap for the flushing pipe, 2 times M12 WC retaining bolts adjustable to 180mm with protection plugs and nuts, installation instructions, without flush plate,for dry-wall construction, installation onto a solid brick wall, etc., adjustment range of feet from unfinished floor level to upper edge of finished floor level: 0-200mm, adjustment range front to wall: 135-205mm (when mounted on wall brackets) front operated, button function transmitted to drain fitting via flexible cables, connection to flush plate via bayonet joint, with protection cap for the flushing pipe. Concealed cistern with insulation against condensation with dual flush 3/6l, adjustable to min 3/4,5l, max flush quantity 4/9l, filling valve Noise Class I, flexible hose for filling valve, can be tightened by hand, 2-part angle valve connection set R1/2, mounting clip, 4 adjustment settings, protection box for access opening can be cut to size, with depth-adjustable WC connecting bend 90° DN 90 (Ø90)/DN 100 (Ø110) with protection cap complete WC connection set DN 90 (Ø90)/180mm, certification marks for concealed cistern: Noise Class I.

WC-ELEMENT - Wall Mounted WC-Element, 98cm Height, Front or Top Flush Plate Option



Article number	Description						Pc./ Pal.	kg/ Pc.
9209 30 00	525 x 820 x 160 mm self-supporting powder-coated steel frame, fully pre-assembled, front/top operated, please order flush plate separately, with filling valve type AG (air gap) WRAS compliant		312,-				14	10,8

with wall brackets, incl. feet and fastenings, with protection cap for the flushing pipe, 2 times M12 WC retaining bolts adjustable to 180/230mm with protection plugs and nuts, installation instructions, without flush plate,for dry-wall construction, installation onto a solid brick wall, etc., adjustment range of feet from unfinished floor level to upper edge of finished floor level: 0-200mm, adjustment range front to wall: 155-205mm (when mounted on wall brackets) front/top operated, button function transmitted to drain fitting via flexible cables, connection to flush plate via bayonet joint, with protection cap for the flushing pipe. Concealed cistern with insulation against condensation with dual flush 3/6l, adjustable to min 3/4,5l, max flush quantity 4/9l, filling valve noise Class I, flexible hose for filling valve, can be tightened by hand, 2-part angle valve connection set R1/2, mounting clip, 4 adjustment settings, protection box for access opening can be cut to size, with depth-adjustable WC connecting bend 90° DN 90 (Ø90)/DN 100 (Ø110) with protection cap complete WC connection set DN 90 (Ø90)/180mm, certification marks for concealed cistern: Noise Class I.

VICONNECT - WALL MOUNTED WC FRAMES

WC-ELEMENT - Wall Mounted WC-Element, 82cm Height, Front or Top Flush Plate Option



Article number	Description						Pc./ Pal.	kg/ Pc.
9209 31 00	525 x 980 x 135 mm self-supporting powder-coated steel frame, fully pre-assembled, front/top operated, please order flush plate separately, with filling valve type AG (air gap) WRAS compliant		312,-				11	12,7

with wall brackets, incl. feet and fastenings, with protection cap for the flushing pipe, 2 times M12 WC retaining bolts adjustable to 180/230mm with protection plugs and nuts, installation instructions, without flush plate,for dry-wall construction, installation onto a solid brick wall, etc., adjustment range of feet from unfinished floor level to upper edge of finished floor level: 0-200mm, adjustment range front to wall: 155-205mm (when mounted on wall brackets) front/top operated, button function transmitted to drain fitting via flexible cables, connection to flush plate via bayonet joint, with protection cap for the flushing pipe. Concealed cistern with insulation against condensation with dual flush 3/6l, adjustable to min 3/4,5l, max flush quantity 4/9l, filling valve Noise Class I, flexible hose for filling valve, can be tightened by hand, 2-part angle valve connection set R1/2, mounting clip, 4 adjustment settings, protection box for access opening can be cut to size, with depth-adjustable WC connecting bend 90° DN 90 (Ø90)/DN 100 (Ø110) with protection cap complete WC connection set DN 90 (Ø90)/180mm, certification marks for concealed cistern: Noise Class I.

WC-ELEMENT COMPACT - Wall Mounted WC-Element, 112cm Height, Front Only Flush Plate, 9cm Slim Line Installation, Rear/Vertical Outlet Only



Article number	Description						Pc./ Pal.	kg/ Pc.
9224 76 00	665 x 1185 x 90mm self-supporting powder-coated steel frame, fully pre-assembled		312,-				10	13,8

with wall brackets, incl. feet and fastenings, with protection cap for the flushing pipe, 2 times M12 WC retaining bolts adjustable to 180mm with protection plugs and nuts, installation instructions, without flush plate,for dry-wall construction, installation onto a solid brick wall, etc., adjustment range of feet from unfinished floor level to upper edge of finished floor level: 0-200mm, adjustment range front to wall: 90mm, with cistern 80mm, intallation min. 90mm, 80mm cistern, 6 adjustable setting and insulation against condensation with dual flush 3/6l, adjustable to min 3/4,5l, max flush quantity 7,5l, filling valve noise Class I, flexible hose for filling valve, can be tightened by hand, 2-part angle valve connection set R1/2, protection box for access opening can be cut to size, with depth-adjustable WC connecting bend 90° DN 90 (Ø90)/DN 100 (Ø110) with protection cap complete WC connection set DN 90 (Ø90)/180mm, certification marks for concealed cistern: Noise Class I.

VICONNECT- CISTERN ONLY FOR BACK TO WALL WC PANS

CONCEALED CISTERN ONLY - 1120mm INSTALLATION HEIGHT, FRONT FLUSH PLATE



Article number	Description						Pc./ Pal.	kg/ Pc.
9209 32 00	460 x 600 x 145 mm front operated, with filling valve type AG (air gap) WRAS compliant		144,-				20	3,41

CONCEALED CISTERN ONLY - 820mm INSTALLATION HEIGHT, FRONT OR TOP FLUSH PLATE



Article number	Description						pcs/ pal.	kg/pc.
9209 33 00	460 x 545 x 155 mm with filling valve type AG (air gap) WRAS compliant		144,-				20	3,41

CONCEALED CISTERN ONLY - COMPACT SLIMLINE, 80mm DEPTH, FRONT FLUSH PLATE



Article number	Description						Pc./ Pal.	kg/ Pc.
9224 82 00	648 x 740/825 x 80mm front operated		163,-				26	3.5

VICONNECT - WC FLUSHPLATES

COLOUR CODE FOR FLUSHPLATES ON OPPOSITE PAGE

HOW TO ORDER:
To order your press panel in the required colour please replace the **"XX"** in the article code with your required colour code

68 = White

61 = Chrome

69 = Brushed Chrome

RA = Glass Glossy Grey

RB = Glass Glossy Black

RE = Glass Glossy White

AN = Black Matt

EXAMPLE:
An 300Flush Plate in white would be: **9221 80 68**

VICONNECT - WC FLUSHPLATES

TOILET FLUSH PLATE
100S



Article number	Description	61	68	69		pcs/ pal.	kg/ pc.
9224 85 XX	205 x 145 x 22 mm made of high-quality plastic or stainless steel	55,-	39,-	55,-		224	0,27

FLUSHPLATE
200S



Article number	Description	61	68	69, AN	Pc./ Pal.	kg/ Pc.
9224 90 XX	269 x 161 x 13mm surface made of high-quality plastic	55,-	39,-	55,-	224	0.27

FLUSHPLATE
M200



Article number	Description	RA	RE	RB	Pc./ Pal.	kg/ Pc.
9224 00 XX	269 x 161 x 13mm surface made of high-quality safety glass	214,-	214,-	214,-	224	0,6

FLUSHPLATE
E300



Article number	Description	61	68	69	Pc./ Pal.	kg/ Pc.
9221 80 XX	253 x 145 x 20mm; surface made of high-quality plastic,	77,-	54,-	77,-	192	0.37

FLUSHPLATE
M300



Article number	Description	RA	RE	RB	Pc./ Pal.	kg/ Pc.
9221 60 XX	253 x 145 x 20mm; surface made of high-quality safety glass, metal buttons (brushed stainless steel look)	218,-	218,-	218,-	192	0,66

VICONNECT INSTALLATION SYSTEMS

FLUSH-MOUNTED INSTALLATION KIT

for 300S, 300G



Article number	Description	LC	pcs/ pal.	kg/ pc.
9221 59 XX	295 x 186 x 5-25 mm visible frame (after installation|) made of brushed stainless steel	163,-	75	0,682

For flush-fit installation of flush plates E300 and M300, installation kit for flush-mounted installation inc. enlarged protection plugs

WASHBASIN INSTALLATION ELEMENT

for dry-wall construction, standard height



Article number	Description		pcs/ pal.	kg/ pc.
9221 49 00	525 x 1120 x 75 mm self-supporting powder-coated steel frame, fully pre-assembled	168,-	10	8,05

for covering with plasterboard, installation onto a solid brick wall, in dry-wall constructions etc., adjustment range of feet from unfinished floor level to upper edge of finished floor level: 0-200 mm, adjustment range front to wall: 135-205mm (when mounted on wall brackets), 4-point fastening, suitable for all washbasins and handwashbasins, with multiply bonded laminated wood panel and scaling for the free positioning of drinking water pipe wall panels, with 2 x M10 bolts for fastening washbasin, including protection plugs and washbasin fastenings, with universal waste bend DN 50 (Ø 50) / DN 40 (Ø 40) incl. rubber collar for odour trap outlet connector DN 40 (Ø 40) / DN 32 (Ø 32), protection plugs and sound-absorbing clamp, with wall brackets, with protection cap for the flushing pipe, installation instructions, incl. self-locking feet with adjustable base plates and fastening materials, individual packaging materials

BIDET INSTALLATION SYSTEM

for dry-wall construction, standard height



Article number	Description		pcs/ pal.	kg/ pc.
9221 48 00	525 x 1120 x 100 mm self-supporting powder-coated steel frame, fully pre-assembled	254,-	10	10,54

for covering with plasterboard, installation onto a solid brick wall, in dry-wall constructions etc., adjustment range of feet from unfinished floor level to upper edge of finished floor level: 0-200 mm, adjustment range front to wall: 135-205mm (when mounted on wall brackets), 4-point fastening, universally adjustable for bidet ceramics, with multiply bonded laminated wood panel and scaling for the free positioning of drinking water pipe wall panels, with universal waste bend DN 50 (Ø 50) / DN 40 (Ø 40), incl. rubber collar DN 40 (Ø 40) / DN 32 (Ø 32) and protection plugs, with 2 x M12 retaining bolts adjustable 180/230 mm with protection plugs, nuts and white covers, with sound-absorbing clamp, with wall brackets, incl. self-locking feet with adjustable base plates and fastening materials, installation instructions, individual packaging materials

VICONNECT INSTALLATION SYSTEMS

URINAL INSTALLATION SYSTEM

for dry-wall construction, standard height



Article number	Description		pcs/ pal.	kg/ pc.
9219 89 00	525 x 1120 x 98 mm self-supporting powder-coated steel frame, fully pre-assembled	276,-	10	8,05

for covering with plasterboard, installation onto a solid brick wall, in dry-wall constructions etc., adjustment range of feet from unfinished floor level to upper edge of finished floor level: 0-200 mm, adjustment range front to wall: 135-205mm (when mounted on wall brackets), 4-point fastening, universally adjustable for urinal ceramics, with DN 50 (Ø 50) waste bend and sound-absorbing waste bend clamp, connection kit Ø 25, with flexible metal hose, which can be screwed by hand, with universal cartridge roughing-in set with modifiable water connections for cartridge valve, all crossbars pre-assembled, without urinal cover plate, with wall brackets, installation instructions, with 2 M8 bolts for fastening urinal including protection plugs and chromium-plated protection caps, incl. self-locking feet with adjustable base plates and fastening materials, individual packaging materials

URINAL FLUSH PLATE

U100



Article number	Description		61	68	69	pcs/ pal.	kg/ pc.
9219 44 XX	126 x 162 x 17 mm made of high-quality plastic, for hand-operated urinal cartridge valve technology		168,-	135,-	168,-	224	0,36

finished installation kit, consisting of cover plate with push button, pressure bolt, with installation frame, with pneumatic urinal cartridge valve with external thread 29 x 2 mm, with cartridge filter, operating pressure max. 10 bar, flow rate tested according to DIN EN 12541, noise class I < 20 dB (A), flushing time: 4-20 sec, infinitely adjustable, with vandal-safe special fastening of the cover plate, with fastenings, pneumatic concealed urinal flush, independent of water pressure, flow pressure min. 0.5 bar, flow pressure max. 10.0 bar, individual packaging materials

MIRRORS

	MIRROR	MIRROR	MIRROR	MIRROR
				
Article number	**A430 A1 00**	**A430 A2 00**	**A430 A3 00**	**A430 A4 00**
Dimensions (w x h x d)	1400 x 600 x 30 mm	1300 x 600 x 30 mm	1200 x 600 x 30 mm	1000 x 600 x 30 mm
Lighting	with LED lighting (can be replaced) for room/outside light switch Illuminant 1x LED / 12 W Energy efficiency class A-A++	with LED lighting (can be replaced) for room/outside light switch Illuminant 1x LED / 12 W Energy efficiency class A-A++	with LED lighting (can be replaced) for room/outside light switch Illuminant 1x LED / 12 W Energy efficiency class A-A++	with LED lighting (can be replaced) for room/outside light switch Illuminant 1x LED / 12 W Energy efficiency class A-A++
Rating	IP 44	IP 44	IP 44	IP 44
Installation	fastening set included	fastening set included	fastening set included	fastening set included
	583,-	**497,-**	**459,-**	**380,-**

	MIRROR	MIRROR	MIRROR	MIRROR
				
Article number	**A430 A5 00**	**A430 A6 00**	**A430 A7 00**	**A430 A8 00**
Dimensions (w x h x d)	800 x 600 x 30 mm	600 x 600 x 30 mm	500 x 600 x 30 mm	450 x 600 x 30 mm
Lighting	with LED lighting (can be replaced) for room/outside light switch Illuminant 1x LED / 10 W Energy efficiency class A-A++	with LED lighting (can be replaced) for room/outside light switch Illuminant 1x LED / 6 W Energy efficiency class A-A++	with LED lighting (can be replaced) for room/outside light switch Illuminant 1x LED / 6 W Energy efficiency class A-A++	with LED lighting (can be replaced) for room/outside light switch Illuminant 1x LED / 6 W Energy efficiency class A-A++
Rating	IP 44	IP 44	IP 44	IP 44
Installation	fastening set included	fastening set included	fastening set included	fastening set included
	320,-	**261,-**	**266,-**	**219,-**

MIRROR CABINETS

	MIRROR CABINET	MIRROR CABINET	MIRROR CABINET	MIRROR CABINET
Article number	**A357 GD 00**	**A357 GA 00**	**A356 GA 00**	**A356 G8 00**
Dimensions (w x h x d)	1300 x 740 x 159 mm	1000 x 740 x 159 mm	1000 x 740 x 159 mm	800 x 740 x 159 mm
Lighting	with integral lighting Illuminant 1x LED / 19,2 W Energy efficiency class A-A++	with integral lighting Illuminant 1x LED / 13,5 W Energy efficiency class A-A++	with integral lighting Illuminant 1x LED / 13,5 W Energy efficiency class A-A++	with integral lighting Illuminant 1x LED / 7,5 W Energy efficiency class A-A++
Version	3x doors 4x glass shelves pull switch and shaver socket	3x doors 4x glass shelves pull switch and shaver socket	2x doors 2x glass shelves pull switch and shaver socket	2x doors 2x glass shelves pull switch and shaver socket
Rating	IP 20	IP 20	IP 20	IP 20
Installation	fastening set included	fastening set included	fastening set included	fastening set included
	1.465,-	**1.424,-**	**1007,-**	**957,-**

	MIRROR CABINET	MIRROR CABINET	MIRROR CABINET
Article number	**A356 G6 00**	**A354 G5 00**	**A355 G5 00**
Dimensions (w x h x d)	600 x 740 x 159 mm	500 x 740 x 159 mm	500 x 740 x 159 mm
Hinges	-	hinges on right	hinges on left
Lighting	with integral lighting Illuminant 1x LED / 6,9 W Energy efficiency class A-A++	with integral lighting Illuminant 1x LED / 3,8 W Energy efficiency class A-A++	with integral lighting Illuminant 1x LED / 3,8 W Energy efficiency class A-A++
Version	2x doors 2x glass shelves pull switch and shaver socket	1x door 2x glass shelves pull switch and shaver socket	1x door 2x glass shelves pull switch and shaver socket
Rating	IP 20	IP 20	IP 20
Installation	fastening set included	fastening set included	fastening set included
	929,-	**653,-**	**653,-**

BATHS

All prices excluding VAT.

BATHS



O.NOVO SOLO (RECTANGULAR 1600 x 700) ACRYLIC

IMPORTANT NOTES: 1) Set of bath feet need to be ordered with every bath.
2) O.Novo baths are luxury deep baths and require extended waste/overflow combination.



Article number	Description	Size l x w	Bottom l x w	Depth	Litres incl. 1 pers	Weight (kg)	Price	pcs/ pal.
UBA 160 CAS 2V-01	O.novo, Solo, **White**	1600 x 700	1180 x 400	450	125	20	351,-	20

Required with every bath:

U99740000	Bath feet, plastic, for baths with even bottom, adjustable from 130 to 180 mm	19,-

O.NOVO SOLO (RECTANGULAR 1700 x 700) ACRYLIC



Article number	Description	Size l x w	Bottom l x w	Depth	Litres incl. 1 pers	Weight (kg)	Price	pcs/ pal.
UBA 177 CAS 2V-01	O.novo, Solo, **White**	1700 x 700	1200 x 400	450	140	22	351,-	20

Required with every bath:

U99740000	Bath feet, plastic, for baths with even bottom, adjustable from 130 to 180 mm	19,-

Optional accessories for baths:

Article number	Description	Price
U90950461	Matching waste/overflow combination, Chrome	159,-
U90600361	Multiplex Trio outlet and overflow fitting with water inlet, Chrome	356,-
U90170061	Handgrips, 1 pair = 2 grips, Chrome	191,-

All prices excluding VAT.

O.NOVO SOLO (RECTANGULAR 1700 x 750) ACRYLIC

IMPORTANT NOTES: 1) Set of bath feet need to be ordered with every bath.
2) O.Novo baths are luxury deep baths and require extended waste/overflow combination.



Article number	Description	Size l x w	Bottom l x w	Depth	Litres incl. 1 pers	Weight (kg)	Price	pcs/ pal.
UBA 170 CAS 2V-01	O.novo, Solo, **White**	1700 x 750	1200 x 430	470	170	22	351,-	20

Required with every bath:

U99740000	Bath feet, plastic, for baths with even bottom, adjustable from 130 to 180 mm	19,-

O.NOVO DUO (RECTANGULAR 1800 x 800) ACRYLIC



Article number	Description	Size l x w	Bottom l x w	Depth	Litres incl. 1 pers	Weight (kg)	Price	pcs/ pal.
UBA 180 CAS 2V-01	O.novo, Duo, **White**	1800 x 800	1190 x 470	500	200	23,5	548,-	20

Required with every bath:

U99740000	Bath feet, plastic, for baths with even bottom, adjustable from 130 to 180 mm	19,-

Optional accessories for baths:

Article number	Description	Price
U90950461	Matching waste/overflow combination, Chrome	159,-
U90600361	Multiplex Trio outlet and overflow fitting with water inlet, Chrome	356,-
U90170061	Handgrips, 1 pair = 2 grips, Chrome	191,-

ARCHITECTURA Solo (Rectangle 1600 x 700) Acrylic

IMPORTANT NOTES: 1) Set of bath feet need to be ordered with every bath.
2) Architectura baths are luxury deep baths and require extended waste/overflow combination.



Article number	Description	Size l x w	Bottom l x w	Depth	Litres incl. 1 pers	Weight (kg)	01	pcs/ pal.
UBA 167 ARA 2V-01	Architectura	1600 x 700	1150 x 460	460	165	21	400,-	10

Required with every bath:

U99740000	Bath feet, plastic, for baths with even bottom, adjustable from 130 to 180 mm	19,-

ARCHITECTURA Solo (Rectangle 1700 x 700) Acrylic



Article number	Description	Size l x w	Bottom l x w	Depth	Litres incl. 1 pers	Weight (kg)	01	pcs/ pal.
UBA 177 ARA 2V-01	Architectura	1700 x 700	1200 x 460	480	195	23	392,-	10

Required with every bath:

U99740000	Bath feet, plastic, for baths with even bottom, adjustable from 130 to 180 mm	19,-

Optional accessories for baths:

Article number	Description	Price
U90950461	Matching waste/overflow combination, Chrome	159,-
U90600361	Multiplex Trio outlet and overflow fitting with water inlet, Chrome	356,-
U90170061	Handgrips, 1 pair = 2 grips, Chrome	191,-

All prices excluding VAT.

ARCHITECTURA Solo (Rectangle 1700 x 750) Acrylic

IMPORTANT NOTES: 1) Set of bath feet need to be ordered with every bath.
2) Architectura baths are luxury deep baths and require extended waste/overflow combination.



Article number	Description	Size l x w	Bottom l x w	Depth	Litres incl. 1 pers	Weight (kg)	01	pcs/ pal.
UBA 170 ARA 2V-01	Architectura	1700 x 750	1200 x 460	480	210	23	392,-	10

Required with every bath:

U99740000	Bath feet, plastic, for baths with even bottom, adjustable from 130 to 180 mm	19,-

ARCHITECTURA Duo (Rectangle 1800 x 800) Acrylic



Article number	Description	Size l x w	Bottom l x w	Depth	Litres incl. 1 pers	Weight (kg)	01	pcs/ pal.
UBA 180 ARA 2V-01	Architectura	1800 x 800	1200 x 430	500	235	25	497,-	10

Required with every bath:

U99740000	Bath feet, plastic, for baths with even bottom, adjustable from 130 to 180 mm	19,-

Optional accessories for baths:

Article number	Description	Price
U90950461	Matching waste/overflow combination, Chrome	159,-
U90600361	Multiplex Trio outlet and overflow fitting with water inlet, Chrome	356,-
U90170061	Handgrips, 1 pair = 2 grips, Chrome	191,-

COMMERCIAL & HOSPITALITY

Commercial & Hospitality

O.NOVO - COMMERCIAL BASINS

WASHBASIN



Article number	Description	01		pcs/ pal.	kg/ pc.
5160 60 01	600 x 490 mm	111,-	-	16	18
5160 55 01	550 x 450 mm	92,-	-	16	15,8
5265 00 01	**PEDESTAL**	70,-	-	56	7,94
5266 00 01	**TRAP COVER** fastening set included	83,-	-	40	7,6

BUILT-IN WASHBASIN



Article number	Description	01		pcs/ pal.	kg/ pc.
4161 56 01	560 x 405 mm	136,-	-	16	12

UNDERCOUNTER WASHBASIN



Article number	Description	01		pcs/ pal.	kg/ pc.
4162 60 01	600 x 350 mm without tap hole area	154,-	-	8	8,7
4162 50 01	530 x 320 mm without tap hole area	139,-	-	16	7,5

the hole for the washbasin can only be cut out using the original washbasin because tolerances of several millimetres are possible, installation possible in natural stone and laminate countertops, fastening set included

For ViConnect Wall Mounted Basin Installation Frames please see page 56

All prices excluding VAT.

O.NOVO - COMMERCIAL BASINS

O.NOVO - URINALS

O.NOVO - URINALS

SIPHONIC URINAL



Article number	Description	01		pcs/ pal.	kg/ pc.
7507 00 01	285 x 515 x 310 mm	**363,-**	-	18	14,24
without cover, concealed water inlet, Outlet may be concealed depending on the type of extractor section					
9326 00 00	**EXTRACTOR** (optional) horizontal outlet, Flush volume: 1,0 l	-	**74,-**		0,16
9933 00 00	**WATER-INLET CONNECTOR** (optional)	-	**44,-**		0,2
9970 00 00	**FASTENING SET** (optional)	-	**37,-**		0,09

For ViConnect Urinal Installation Frames please see page 57

VICARE - COMMERCIAL BASINS

WASHBASIN VITA - 60cm - WALL MOUNTED



Article number	Description	01		pcs/ pal.	kg/ pc.
7119 63 01	600 x 490 mm ○○○ ⬭ incl. overflow set	510,-	-	20	18,56

Please note: unclosable outlet valve must be used with models without overflow

WASHBASIN VITA - 61/56cm - WALL MOUNTED



Article number	Description	01		pcs/ pal.	kg/ pc.
4119 60 01	610 x 550 mm ○○○ ⬭	215,-	-	16	18,8
4119 55 01	560 x 550 mm ○○○ ⬭	196,-	-	16	17

WASHBASIN VITA - 80cm - WALL MOUNTED



Article number	Description	01		pcs/ pal.	kg/ pc.
4120 80 01	800 x 550 mm ○○○ ⬭	568,-	-	12	21,6

All prices excluding VAT.

VICARE - COMMERCIAL BASINS

VICARE - COMMERCIAL PANS

WASHDOWN TOILET VITA, RIMLESS
DirectFlush



Article number	Description	01	P1	pcs/ pal.	kg/ pc.
4601 R0 01	360 x 700 mm (Direct Flush)	**387 ,-**	-	16	22
wall-mounted, horizontal outlet, incl. extended 400 mm long inlet connector, projection: 700 mm, not suitable for installation with flush valves					
9M67 S1 P1	**TOILET SEAT AND COVER VITA** fastening from above, with special buffers to prevent slipping to the sides, with grip edge on the lid, with QuickRelease and SoftClosing hinges, hinges in stainless steel	-	**201,-**	72	3,1
9M72 61 P1	**TOILET SEAT AND COVER VITA** with special buffers to prevent slipping to the sides, with grip edge on the lid, with continuous hinge bolt, hinges in stainless steel	-	**228,-**	144	3,2
9M97 61 P1	**SEAT** with special buffers to prevent slipping to the sides, with continuous hinge bolt, hinges in stainless steel	-	**147,-**	72	1,39

WASHDOWN TOILET VITA, RIMLESS
DirectFlush



Article number	Description	01	P1	pcs/ pal.	kg/ pc.
4695 R0 01	360 x 595 mm (Direct Flush)	**350,-**	-	12	22
wall-mounted, horizontal outlet, seat height: 460 mm, not suitable for installation with flush valves					
9M67 S1 P1	**TOILET SEAT AND COVER VITA** fastening from above, with special buffers to prevent slipping to the sides, with grip edge on the lid, with QuickRelease and SoftClosing hinges, hinges in stainless steel	-	**208,-**	72	3,1
9M38 S1 01	**TOILET SEAT AND COVER** with QuickRelease and SoftClosing hinges, hinges in stainless steel	**104**	-	216	2,21
9M72 61 P1	**TOILET SEAT AND COVER VITA** with special buffers to prevent slipping to the sides, with grip edge on the lid, with continuous hinge bolt, hinges in stainless steel	-	**236,-**	144	3,2
9M71 61 P1	**SEAT** hinges in stainless steel	-	**64,-**		1,04
9M97 61 P1	**SEAT** with special buffers to prevent slipping to the sides, with continuous hinge bolt, hinges in stainless steel	-	**147,-**	72	1,39

For ViConnect Wall Mounted Toilet Installation Frames please see pages 54-55

All prices excluding VAT.

VICARE - COMMERCIAL PANS

WASHDOWN TOILET VITA



Article number	Description	01	P1	pcs/ pal.	kg/ pc.
4683 10 01	355 x 480 mm	**263,-**	-	8	20

floor-standing, horizontal outlet, with fastening set for concealed fastening, seat height: 460 mm

9M67 S1 P1	**TOILET SEAT AND COVER VITA** fastening from above, with special buffers to prevent slipping to the sides, with grip edge on the lid, with QuickRelease and SoftClosing hinges, hinges in stainless steel	**-**	**201,-**	72	3,1
9M72 61 P1	**TOILET SEAT AND COVER VITA** with special buffers to prevent slipping to the sides, with grip edge on the lid, with continuous hinge bolt, hinges in stainless steel	**-**	**228,-**	144	3,2
9M39 61 01	**TOILET SEAT AND COVER** hinges in stainless steel	**71,-**	-	108	2,09
9M97 61 P1	**SEAT** with special buffers to prevent slipping to the sides, with continuous hinge bolt, hinges in stainless steel	**-**	**147,--**	72	1,39

WASHDOWN TOILET FOR CLOSE-COUPLED TOILET-SUITE, RIMLESS VITA

DirectFlush



Article number	Description	01	P1	pcs/ pal.	kg/ pc.
4620 R0 01	360 x 710 mm Direct Flush	**220,-**	-	6	28,7

floor-standing, horizontal outlet, with fastening set for concealed fastening, seat height: 460 mm

5760 61 01	**CISTERN** fastening set included, water inlet from the sides or rear, flushing mechanism with Dual-Flush water-saving button, chrome	**141,-**	-	16	12,77
5760 71 01	**CISTERN** fastening set included, bottom water inlet, flushing mechanism with DualFlush water-saving button, chrome	**141,-**	-	16	12,77
9M67 S1 P1	**TOILET SEAT AND COVER VITA** fastening from above, with special buffers to prevent slipping to the sides, with grip edge on the lid, with QuickRelease and SoftClosing hinges, hinges in stainless steel	-	**201,-**	72	3,1
9M72 61 P1	**TOILET SEAT AND COVER VITA** with special buffers to prevent slipping to the sides, with grip edge on the lid, with continuous hinge bolt, hinges in stainless steel	-	**228,-**	144	3,2
9M39 61 01	**TOILET SEAT AND COVER** hinges in stainless steel	**71,-**	-	108	2,09
9M97 61 P1	**SEAT** with special buffers to prevent slipping to the sides, with continuous hinge bolt, hinges in stainless steel	-	**147,-**	72	1,39

For ViConnect Wall Mounted Toilet Installation Frames please see pages 54-55

O.NOVO - COMMERCIAL BASINS

HANDWASHBASIN COMPACT



Article number	Description	01		pcs/ pal.	kg/ pc.
5360 50 01	500 x 400 mm	92,-	-	22	12,3
5360 45 01	450 x 350 mm	77,-	-	24	10,2
5265 00 01	PEDESTAL	70,-	-	56	7,94
5267 00 01	TRAP COVER	81,-	-	64	5

HANDWASHBASIN COMPACT



Article number	Description	01		pcs/ pal.	kg/ pc.
5361 50 01	500 x 250 mm suitable for 1-hole tap fittings, pre-punched tap holes on sides	96,-	-	33	7,45

CORNER HANDWASHBASIN



Article number	Description	01		pcs/ pal.	kg/ pc.
7310 32 01	320 mm side length	107,-	-	51	6,9

CORNER HANDWASHBASIN COMPACT



Article number	Description	01		pcs/ pal.	kg/ pc.
7327 40 01	415 mm side length	166,-	-	48	10,95

For ViConnect Wall Mounted Basin Installation Frames please see page 56

All prices excluding VAT.

O.NOVO - COMMERCIAL BASINS

ARCHITECTURA - COMMERCIAL

SIPHONIC URINAL



Article number	Description	01		pcs/ pal.	kg/ pc.
5586 00 01	325 x 680 x 355 mm	557,-	-	9	22,6

Incl. outlet, consisting of ViChange siphon cartridge and ceramic outlet cover, fastening set included, concealed water inlet, concealed outlet

8706 20 00	**VICHANGE SIPHON CARTRIDGE** (required spare part) 1 ViChange replacement siphon cartridge incl. 1 glove, 1 disposal bag per set	-	36,-		0,1
8706 10 00	**VICHANGE SIPHON CARTRIDGE** (required spare part) 10 ViChange replacement siphon cartridges incl. 1 glove, 1 disposal bag per set	-	280,-		0,09
9933 00 00	**WATER-INLET CONNECTOR** (optional)	-	44,-		0,2
9220 67 00	**FLEXIBLE WATER-INLET CONNECTOR** (optional) not suitable for installation with ProDetect	-	64,-		0,29

SIPHONIC URINAL



Article number	Description	01		pcs/ pal.	kg/ pc.
5574 00 01	355 x 620 x 385 mm splash-reducing	299,-	-	20	18,55

fastening set included, concealed water inlet, Outlet may be concealed

9326 00 00	**EXTRACTOR** (optional) horizontal outlet, Flush volume: 1,0 l	-	74,-		0,16
9933 00 00	**WATER-INLET CONNECTOR** (optional)	-	44,-		0,2

SIPHONIC URINAL



Article number	Description	01		pcs/ pal.	kg/ pc.
5587 00 01	325 x 680 x 355 mm	557,-	-	9	24,3

Incl. outlet, consisting of ViChange siphon cartridge and ceramic outlet cover, fastening set included, concealed water inlet, concealed outlet

8706 20 00	**VICHANGE SIPHON CARTRIDGE** (required spare part) 1 ViChange replacement siphon cartridge incl. 1 glove, 1 disposal bag per set	-	36,-		0,1
8706 10 00	**VICHANGE SIPHON CARTRIDGE** (required spare part) 10 ViChange replacement siphon cartridges incl. 1 glove, 1 disposal bag per set	-	280,-		0,09
9933 00 00	**WATER-INLET CONNECTOR** (optional)	-	44,-		0,2
9220 67 00	**FLEXIBLE WATER-INLET CONNECTOR** (optional) not suitable for installation with ProDetect	-	64,-		0,29

For ViConnect Urinal Installation Frames please see page 57

All prices excluding VAT.

THE V & B APP

THE VILLEROY & BOCH APP

CURRENT DELIVERY INFORMATION AND PRICES

CONFIGURATOR BRINGS CUSTOMERS' WISHES TO LIFE

DATA SHEETS AND INSTALLATION INSTRUCTIONS

PRODUCT SUGGESTIONS TO BOOST SALES

SAMPLE FOLDER CREATED AUTOMATICALLY

OPTIONAL OFFLINE MODE

THE SMART TOOL FOR PLANNING AND CONSULTATION

Now you have the full information on Villeroy & Boch bathrooms at your fingertips. A glance at your smartphone, tablet or PC is all it takes to find current dimensions and prices while you're out and about or to configure model variants and check availability while advising customers.

Download on the App Store | GET IT ON Google Play | Get it from Microsoft

For smartphone, tablet and PC.
Find out more: **pro.villeroy-boch.com/villeroybochapp**



Villeroy & Boch
1748

Villeroy & Boch UK Ltd
Bathroom and Wellness Division
Chelsea Design Centre East Unit 308
Chelsea Harbour
London
SW10 OXF

Tel: 0208 871 4028
www.villeroy-boch.co.uk

For technical info visit:
www.pro.villeroy-boch.com

T's & C's apply. All prices indicated are suggested retail prices in GBP and subject to VAT.
We reserve the right to make (price) changes; prices are subject to printing errors.
Claims arising from incorrect prices and descriptions may not be considered.
Offers, sales and deliveries are subject to "General Sales Conditions".

2021 Assortment, shades and dimensions subject to the usual tolerances.
We reserve the right to make technical modifications to the range and alter colours. Most models are registered by law.

5 055341 767117 >
MMBR-55-2105